



### Heavy Duty Steel Shutter Door

Features: the door curtain is made up of sturdily designed galvanized steel scroll-profiled inter-locking Slats 75mm high x 1.0mm thick.  
Max Size: W12000 x H7000



### Double-Wall Aluminum Shutter Door

Features: the door curtain is made up of 100mm high x 23mm thick, double-walled extruded aluminum flat-faced inter-locking slats.  
Max Size: W12000 x H7000



### High Speed Fabric Roller Shutter Door

Features: Fast-acting roll-up doors are commonly used of entrances in temperature- controlled premises and clean rooms to facilitate the passage of materials. The door curtain is made up of 0.8mm thick. Available for the heat & cold and Abrasion resistance. Insulation is required. Anti-collision derailing protection  
Opening & Closing speed 0.601.2/s  
Max Size: W5000 x H5000 mm



### Sectional Overhead Door

Features: the door curtain is made up of 44mm thick, 100 polyurethane foaming door panel available for the heat and sound insulation is required.  
Resistance to wind pressure  
Max Size: W9000 x H8000 mm

# CBM<sup>®</sup>

## City Building Material Co., Ltd Industrial Shutter System



Hangar Door Systems  
Hangar Door (Larger sizes upon request)



Features: Fully automated sliding mullions with safety interlocks  
Mullions can slide to the sides to inter-locking slats, achieve full opening width.  
Max Size: W30000 x H9000



Hot Dip Galvanizing and Wind Load Approval Roller Shutter

 City Building Material Co., Ltd

 No, 214, Yadanarbon Rd, Estate  
Industrial Zone(2)144 Quarter, South Dagon

 09421149808 ~ 09972057711

 citybm88@gmail.com

# CBM<sup>®</sup>

Get Professional Consultants to help you **NOW!**



Aluminium PC(Taiwan)  
PC Slats : 3mm thk



Aluminium Crystal(Taiwan)  
Thickness -Crystal(1.7mm)  
Color -(01)White



Aluminium Shutter(Taiwan)  
Thickness -1.5mm  
Color -(04)Jasper,(07)Paperback



Aluminium Grille(Taiwan)  
Thickness -1.5mm  
Color -(04)Jasper,  
(07)Paperback



Galvanized Steel(Taiwan)  
Thickness -0.5mm  
Color -(02)Cream  
(05)Grey,(04)palm



Galvanized Steel (Korea)  
Thickness -0.4mm  
Color -White, Cream,Green



City Building Material Co.,Ltd



No,214.Yadanarbon Rd,Estate  
Industrial Zone(2)144 Quarter,South Dagon



09775000430 / 09775000431



citybm88@gmail.com

# High Speed Roller Shutter

Easy to use and durable, an array of colors for selection and matching  
Product Characteristics



## FAST AND SILENT


The speed of door roll up is several times faster than that of traditional roll-up doors, silent operation and low noise production.

## SAFE

Automated rebound and anti-pressure design, autoswitch to manual operation in the event of a power shortage.

## DURABLE

Strong and durable plastic-steel reel, densely woven-silencer, ballance apring made of high quality steel.

 City Building Material Co.,Ltd

 09775000430 / 09775000431

 No,214.Yadanarbon Rd,Estate  
Industrial Zone(2)144 Quarter,South Dagon

 citybm88@gmail.com